

CLAIMS

What is claimed is:

- 1 1. A method for peer-to-peer image streaming comprising:
2 designating at least one digital image for inclusion within an
3 album on a first computer;
4 designating at least one user with whom the album is to be
5 shared on the first computer;
6 receiving at the first computer peer to peer requests issued by a
7 designated user from a second computer, for viewing specified portions of a
8 digital image within the album at a specified pixel width and height; and
9 streaming by the first computer to the second computer,
10 appropriate pixel data to the user within peer to peer responses, in response to the
11 requests.

- 1 2. A method for peer-to-peer application development comprising:
2 receiving a list of user actions and corresponding responses, for a
3 software application; and
4 generating a peer-to-peer software application for which the
5 corresponding responses listed are performed by a first peer computer, in response
6 to the user actions listed being performed by a second peer computer.

- 1 3. A method for peer-to-peer private e-mail comprising:
2 receiving an e-mail message, sent from a first peer computer to
3 itself, intended for delivery to a second peer computer;
4 determining if the second peer computer is on-line; and
5 sending the e-mail message to a second peer computer only when
6 the second peer computer is on-line.

- 1 4. A computer-readable storage medium storing program code for
2 causing a computer to perform the steps of:
3 designating at least one digital image for inclusion within an
4 album on a first computer;
5 designating at least one user with whom the album is to be
6 shared on the first computer;
7 receiving at the first computer peer to peer requests issued by a
8 designated user from a second computer, for viewing specified portions of a
9 digital image within the album at a specified pixel width and height; and
10 streaming by the first computer to the second computer,

11 appropriate pixel data to the user within peer to peer responses, in response to the
12 requests.

1 5. A computer-readable storage medium storing program code for
2 causing a computer to perform the steps of:
3 receiving a list of user actions and corresponding responses, for a
4 software application; and
5 generating a peer-to-peer software application for which the
6 corresponding responses listed are performed by a first peer computer, in response
7 to the user actions listed being performed by a second peer computer.

1 6. A computer-readable storage medium storing program code for
2 causing a computer to perform the steps of:
3 receiving an e-mail message, sent from a first peer computer to
4 itself, intended for delivery to a second peer computer;
5 determining if the second peer computer is on-line; and
6 sending the e-mail message to a second peer computer only when
7 the second peer computer is on-line.

1 7. A system for peer-to-peer image streaming comprising:
2 a user interface for designating at least one digital image for
3 inclusion within an album on a first computer, and for designating at least one
4 user with whom the album is to be shared on the first computer;
5 a receiver for receiving at the first computer peer to peer requests
6 issued by a designated user from a second computer, for viewing specified
7 portions of a digital image within the album at a specified pixel width and height;
8 and
9 a transmitter for streaming by the first computer to the second
10 computer, appropriate pixel data to the user within peer to peer responses, in
11 response to the requests.

1 8. A system for peer-to-peer application development comprising:
2 an application programming interface for receiving a list of user
3 actions and corresponding responses, for a software application; and
4 an application builder for generating a peer-to-peer software
5 application for which the corresponding responses listed are performed by a first
6 peer computer, in response to the user actions listed being performed by a second
7 peer computer.

1 9. A system for peer-to-peer private e-mail comprising:
2 a receiver for receiving an e-mail message, sent from a first peer
3 computer to itself, intended for delivery to a second peer computer;
4 a peer-to-peer user identifier for determining if the second peer
5 computer is on-line; and
6 a transmitter for sending the e-mail message to a second peer
7 computer only when the second peer computer is on-line.